

产品介绍

米家门窗传感器通过传感器主体与磁铁的靠近与分开感知门窗状态。低功耗，免工具安装，即贴即用。

* 本产品仅限室内使用，需要连接网关进行智能操作



下载客户端

在应用商店搜索“米家”或扫描以下二维码下载米家APP，连接网关后，根据“添加设备”指引添加门窗传感器。

* 本产品已经接入米家，支持MIUI系统锁屏滑动控制，可与其他米家智能产品互联互通。




设备操控及更多智能产品
购买请登陆“米家”APP。

添加设备

将网关通电，打开米家APP，选择要连接的网关，在设备页面点击添加子设备，根据APP提示操作，直至网关语音提示“连接成功”。

* 如添加失败，请将传感器移近网关后重试



安装方法

有效距离验证：添加设备成功后，在选定的传感器安装位置，用按键针按一下传感器的重置孔，网关发出提示音，表明传感器与网关之间可以有效通讯。

1. 撕下胶贴保护膜
2. 安装时尽量对齐主体与磁铁侧边的安装标记（如下图2）
3. 分别粘贴在所需开合区域（建议传感器主体安装在开合区域固定面，磁铁安装在开合区域活动面，安装间隙在门窗关闭状态下小于22mm）

* 粘贴表面须保持清洁干燥
* 安装时请避免掉落，易损坏传感器主体



使用产品前请仔细阅读使用说明书

在线客服: www.mi.com/service
服务热线: 400-100-5678
制造商: 深圳绿米联创科技有限公司
地址: 深圳市南山区桃源街道留仙大道塘岭路1号金疆智谷大厦8楼

smarthomehobby.wordpress.com

<p>Product Description</p> <p>Mi Home door and window sensors through the sensor body and the magnet close and separate sense of the door and window state low power tool-free installation that is posted.</p> <p>* This product is for indoor use only. Need to connect the gateway for intelligent operation</p> <p>Sensor Body Magnet</p> <p>Status Indicator Reset Hole (Bind/Clear)</p>	<p>Download the App</p> <p>In the application store search "Mi Home" or scan the following two-dimensional code download meters after the gateway, according to "add equipment" guidelines to add doors and windows sensor</p> <p>* This product has access to Mi Home, supports MIUI system lock screen sliding control, with other meters Home intelligent products interoperability</p> <p>Equipment control and and more intelligent product purchase. Please visit the Mi Home app.</p>	<p>Add the device</p> <p>Power the gateway, open the home APP, select the gateway to connect, click on the device page to add the sub-device, according to the APP prompt operation until the gateway voice prompt "connection is successful."</p> <p>* If the addition fails, please move the sensor closer to the gateway and try again</p>	<p>Installation method</p> <p>Valid distance verification: After the addition of the device is successful, press the reset button in the selected sensor while in its installed position to indicate that the sensor and the gateway can communicate effectively.</p> <ol style="list-style-type: none"> 1. Tear off the protective film 2. Install with the marks on the sides to line up together on the main body and the magnet(Figure 2) 3. Place them in the required opening and closing area (It is recommended that the sensor body be installed on the fixed surface and the magnet on the opening and closing surface. <p>The installation gap in the doors and windows closed less than 22mm</p> <p>* Clean and dry the surface before mounting the sensors</p> <p>* Please avoid dropping when installing, it is easy to damage the sensor body</p> <ol style="list-style-type: none"> 1.Tear off the protective film. 2.Align as well as possible. 3.Installation gap is less than 22mm 	<p>Please read the instruction manual carefully before using the product.</p> <p>Online Service: www.mi.com/service Service Hotline: 400-100-5678 Manufacturer: Shenzl-Green Rice Joint Technology Co, Ltd Address: Nanshan District, Shenzhen City, four high-tech Taibang Science and Technology Building, 16th floor</p>
--	---	--	--	---

smarthomehobby.wordpress.com

基本参数

产品型号: MCGQ01LM
 执行标准: Q/QLML003-2015
 工作温度: -10℃ ~ +50℃
 工作湿度: 0-95%RH, 无冷凝
 电池型号: CR1632
 无线连接: ZigBee

产品中有害物质的名称及含量

部件名称	有害物质					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
白色塑料壳	○	○	○	○	○	○
硬塑料	○	○	○	○	○	○
金属	○	○	○	○	○	○
电阻	○	○	○	○	○	○

本表格依据SJ/T 11364的规定编制。
 ○: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。
 X: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。



米家门窗传感器三包凭证

保修条例

米家门窗传感器售后服务严格依据《中华人民共和国消费者权益保护法》、《中华人民共和国产品质量法》实行售后三包服务, 服务内容如下:
 1. 自您签收次日7日内, 本产品出现《米家门窗传感器性能故障表》所列性能故障的情况, 经由小米售后服务中心检测确定, 可免费享受退货或换货服务;
 2. 自您签收次日8日-15日内, 本产品出现《米家门窗传感器性能故障表》所列性能故障的情况, 经由小米售后服务中心检测确定, 可免费享受换货或者维修服务;
 3. 自您签收次日12个月内, 本产品出现《米家门窗传感器性能故障表》所列性能故障的情况, 经由小米售后服务中心检测确定, 可免费享受维修服务。

非保修条例

1. 未经授权维修、误用、碰撞、疏忽、滥用、进液、事

故、改动、不正确的使用非本产品配件, 或撕毁、涂改标贴、防伪标记;
 2. 已超过三包有效期;
 3. 因不可抗力造成的损坏;
 4. 不符合《米家门窗传感器性能故障表》所列性能故障的情况;
 5. 因人为原因导致本产品及其配件产生《米家门窗传感器性能故障表》所列性能故障。

米家门窗传感器使用说明书及三包卡

米家门窗传感器性能故障表

名称	性能故障
米家门窗传感器	1 因结构或者材料因素造成表面裂纹 2 指示灯失效 3 重置孔失效 4 开合感应失效 (非安装间隙过大)



smarthomehobby.wordpress.com

<p>Basic Parameters Product Number: MCGQ01LM Implementation of Standards: Q/QLML003-2015 Working Temperature: 14F-122F Working Humidity: 0-95%RH / No Condensation Input Voltage: CR1632 Wireless Connection: Zigbee</p>	<p>The name and content of hazardous substances in the product.</p> <p>Harmful Substance (Columns) Lead, Mercury, Cadmium, Hexavalent Chromium, Polybrominated Biphenyl, Polybrominated Diphenyl Ethers.</p> <p>Parts (Rows) White Plastic Shell, Hard Plastic, Metal, Resistance.</p> <p>This form is prepared in accordance with SJ / T 11364.</p> <p>O: Indicates that the content of the hazardous substance in all homogeneous materials of the part is below the limit specified in GB / T 26572.</p> <p>X: Indicates that the hazardous substance is at least in the content of a homogeneous material of the part exceeding the limit specified in GB / T 26572.</p>	<p>(sorry, this one is pretty rough) Mi Home Door and Window Sensor 3 Packs of Evidence The service contents are as follows: 1 within seven days from the date of signing, the Company shall, in accordance with the provisions of the Law of the People's Republic of China on the Protection of Consumers' Rights and Interests, the Product Quality Law of the People's Republic of China, This product appears "rice door and window sensor performance fault table" listed in the performance of the failure of the situation, through the millet after-sales service center to determine the free to enjoy the return or replacement services 2 since the date of your sign 8 - 15 days, the The product appears "rice door and window sensor performance fault table" listed in the performance of the failure of the situation, through the millet service center to determine the test, free of charge to enjoy the replacement or maintenance services 3 "since the date of your signing 12 months, this product There is "rice door and window sensor performance fault table" listed in the performance of the failure of the situation, through the millet service center to determine the test can be free to enjoy maintenance services</p>	<p>Non-warranty Regulations</p> <p>1. Unauthorized maintenance, misuse, negligence, accident, change, improper use of non-product accessories, or tear, modify the label, security mark</p> <p>2. The use of non-product accessories, or tear, modify the label, anti-counterfeit mark</p> <p>3. Has more than three packs of validity due to force majeure caused by damage</p> <p>4. Does not meet the Mi Home door and window sensor performance fault table" listed performance failure Of the situation</p> <p>5. Due to human causes the product and its accessories produce Mi Home door and window sensor performance fault table" listed performance failure.</p> <p>Performance Failure Door and Window Sensor.</p> <p>1 Due to structural or material factors caused by surface cracking 2 The indicator failure 3 Reset hole failure 4 Opening and closing induction failure (non-installed gap is too large)</p>	<p>Mi Home Door and Window Sensor Instructions</p>
--	--	---	---	--

smarthomehobby.wordpress.com